










- Max Operational Pressure: 10 Bar
- InleUOutlet: 1/2" Female Pipe Thread
- All Dimensions are in mm

Model	Height (mm)	Width (mm)	Weight (kg)	Max. Pressure (Bar)	Max. Temp. (°C)	Material	Finish	Color	Accessories	Notes
REINA 1000	1000	144	1.2	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model
REINA 1200	1200	144	1.5	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model
REINA 1400	1400	144	1.8	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model
REINA 1600	1600	144	2.1	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model
REINA 1800	1800	144	2.4	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model
REINA 2000	2000	144	2.7	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model
REINA 2200	2200	144	3.0	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model
REINA 2400	2400	144	3.3	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model
REINA 2600	2600	144	3.6	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model
REINA 2800	2800	144	3.9	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model
REINA 3000	3000	144	4.2	10	110	Steel	Black	Black	Bracket, Bolt, Washer, Screw	Standard model





- Max Operational Pressure: 10 Bar
- Inlet/Outlet: 1/2" Female Pipe Thread
- All Dimensions are in mm



REINA

FLAT DESIGNER RADIATOR TEKNISK DETALJER

PRODUCT CODE	NAMES	Overall Dimension Height mm	Length mm	Pipe Centres mm	Wall to Pipe centre mm	Wall Distance mm	Tube Quantity	Fuel C/E/D	Delta T : 50C watts
FLAT WHITE									
RND-FL122W	FLAT SINGLE WHITE	1200	218	218	27	56	3	C	192
RND-FL123W	FLAT SINGLE WHITE	1200	292	292	27	56	4	C	256
RND-FL1236W	FLAT SINGLE WHITE	1200	366	366	27	56	5	C	320
RND-FL142W	FLAT SINGLE WHITE	1400	218	218	27	56	3	C	219
RND-FL143W	FLAT SINGLE WHITE	1400	292	292	27	56	4	C	300
RND-FL1436W	FLAT SINGLE WHITE	1400	366	366	27	56	5	C	392
RND-FL163W	FLAT SINGLE WHITE	1600	218	218	27	56	3	C	477
RND-FL164W	FLAT SINGLE WHITE	1600	292	292	27	56	4	C	637
RND-FL165W	FLAT SINGLE WHITE	1600	366	366	27	56	5	C	796
RND-FL166W	FLAT SINGLE WHITE	1600	440	440	27	56	6	C	955
RND-FL167W	FLAT SINGLE WHITE	1600	514	514	27	56	7	C	1115
RND-FL183W	FLAT SINGLE WHITE	1800	218	218	27	56	3	C	537
RND-FL184W	FLAT SINGLE WHITE	1800	292	292	27	56	4	C	716
RND-FL185W	FLAT SINGLE WHITE	1800	366	366	27	56	5	C	895
RND-FL186W	FLAT SINGLE WHITE	1800	440	440	27	56	6	C	1074
RND-FL187W	FLAT SINGLE WHITE	1800	514	514	27	56	7	C	1254
RND-FL06W	FLAT SINGLE WHITE	600	440	440	27	56	6	C/E/D	331
RND-FL08W	FLAT SINGLE WHITE	600	588	588	27	56	8	C/E/D	442
RND-FL11W	FLAT SINGLE WHITE	600	810	810	27	56	11	C/E/D	608
RND-FL14W	FLAT SINGLE WHITE	600	1032	1032	27	56	14	C/E/D	773
RND-FL17W	FLAT SINGLE WHITE	600	1254	1254	27	56	17	C/E/D	939
RND-FL11W	FLAT SINGLE WHITE	600	1402	1402	27	56	20	C/E/D	1120
RND-FL14W	FLAT SINGLE WHITE	600	1624	1624	27	56	23	C/E/D	1297
RND-FL17W	FLAT SINGLE WHITE	600	1772	1772	27	56	26	C/E/D	1380
RND-FL20W	FLAT SINGLE WHITE	600	1994	1994	27	56	29	C/E/D	1458
RND-FL122W	FLAT DOUBLE WHITE	1200	218	218	64	93	6	C	384
RND-FL123W	FLAT DOUBLE WHITE	1200	292	292	64	93	8	C	512
RND-FL1236W	FLAT DOUBLE WHITE	1200	366	366	64	93	10	C	640
RND-FL142W	FLAT DOUBLE WHITE	1400	218	440	64	93	12	C	438
RND-FL143W	FLAT DOUBLE WHITE	1400	292	514	64	93	14	C	600

RND-FL1436W	FLAT DOUBLE WHITE	1400	366	218	64	93	6	C	784
RND-FL163WD	FLAT DOUBLE WHITE	1600	218	218	64	93	6	C	860
RND-FL164WD	FLAT DOUBLE WHITE	1600	292	292	64	93	8	C	1146
RND-FL165WD	FLAT DOUBLE WHITE	1600	366	366	64	93	10	C	1432
RND-FL166WD	FLAT DOUBLE WHITE	1600	440	440	64	93	12	C	1719
RND-FL167WD	FLAT DOUBLE WHITE	1600	514	514	64	93	14	C	1889
RND-FL183WD	FLAT DOUBLE WHITE	1800	218	218	64	93	6	C	967
RND-FL184WD	FLAT DOUBLE WHITE	1800	292	292	64	93	8	C	1289
RND-FL185WD	FLAT DOUBLE WHITE	1800	366	366	64	93	10	C	1611
RND-FL186WD	FLAT DOUBLE WHITE	1800	440	440	64	93	12	C	1934
RND-FL187WD	FLAT DOUBLE WHITE	1800	514	514	64	93	14	C	2257
RND-FL06WD	FLAT DOUBLE WHITE	600	440	440	64	93	12	C/E/D	596
RND-FL08WD	FLAT DOUBLE WHITE	600	588	588	64	93	16	C/E/D	796
RND-FL11WD	FLAT DOUBLE WHITE	600	810	810	64	93	20	C/E/D	1094
RND-FL14WD	FLAT DOUBLE WHITE	600	1032	1032	64	93	28	C/E/D	1391
RND-FL17WD	FLAT DOUBLE WHITE	600	1254	1254	64	93	34	C/E/D	1690
RND-FL11WD	FLAT DOUBLE WHITE	600	1402	1402	64	93	40	C/E/D	2240
RND-FL14WD	FLAT DOUBLE WHITE	600	1624	1624	64	93	46	C/E/D	2594
RND-FL17WD	FLAT DOUBLE WHITE	600	1772	1772	64	93	52	C/E/D	2760
RND-FL20WD	FLAT DOUBLE WHITE	600	1994	1994	64	93	58	C/E/D	2916
RND-FL22WD	FLAT DOUBLE WHITE	600	2116	2116	64	93	64	C/E/D	3200
FLAT ANTHRACITE									
RND-FL122A	FLAT SINGLE ANTHRACITE	1200	218	218	27	56	3	C	192
RND-FL123A	FLAT SINGLE ANTHRACITE	1200	292	292	27	56	4	C	256
RND-FL1236A	FLAT SINGLE ANTHRACITE	1200	366	366	27	56	5	C	320
RND-FL142A	FLAT SINGLE ANTHRACITE	1400	218	218	27	56	3	C	219
RND-FL143A	FLAT SINGLE ANTHRACITE	1400	292	292	27	56	4	C	292
RND-FL1436A	FLAT SINGLE ANTHRACITE	1400	366	366	27	56	5	C	366
RND-FL163A	FLAT SINGLE ANTHRACITE	1600	218	218	27	56	3	C	477
RND-FL164A	FLAT SINGLE ANTHRACITE	1600	292	292	27	56	4	C	637
RND-FL165A	FLAT SINGLE ANTHRACITE	1600	366	366	27	56	5	C	796
RND-FL166A	FLAT SINGLE ANTHRACITE	1600	440	440	27	56	6	C	955
RND-FL167A	FLAT SINGLE ANTHRACITE	1600	514	514	27	56	7	C	1115
RND-FL183A	FLAT SINGLE ANTHRACITE	1800	218	218	27	56	3	C	537
RND-FL184A	FLAT SINGLE ANTHRACITE	1800	292	292	27	56	4	C	716
RND-FL185A	FLAT SINGLE ANTHRACITE	1800	366	366	27	56	5	C	895
RND-FL186A	FLAT SINGLE ANTHRACITE	1800	440	440	27	56	6	C	1074

RND-FL187A	FLAT SINGLE ANTHRACITE	1800	514	514	27	56	7	C	1254
RND-FL06A	FLAT SINGLE ANTHRACITE	600	440	440	27	56	6	C/E/D	331
RND-FL08A	FLAT SINGLE ANTHRACITE	600	588	588	27	56	8	C/E/D	442
RND-FL11A	FLAT SINGLE ANTHRACITE	600	810	810	27	56	10	C/E/D	608
RND-FL14A	FLAT SINGLE ANTHRACITE	600	1032	1032	27	56	14	C/E/D	773
RND-FL17A	FLAT SINGLE ANTHRACITE	600	1254	1254	27	56	17	C/E/D	939
RND-FL122AD	FLAT DOUBLE ANTHRACITE	1200	218	218	64	93	6	C	384
RND-FL123AD	FLAT DOUBLE ANTHRACITE	1200	292	292	64	93	8	C	512
RND-FL1236AD	FLAT DOUBLE ANTHRACITE	1200	366	366	64	93	10	C	640
RND-FL142AD	FLAT DOUBLE ANTHRACITE	1400	218	440	64	93	12	C	438
RND-FL143AD	FLAT DOUBLE ANTHRACITE	1400	292	514	64	93	14	C	600
RND-FL1436AD	FLAT DOUBLE ANTHRACITE	1400	366	218	64	93	6	C	784
RND-FL163AD	FLAT DOUBLE ANTHRACITE	1600	218	218	64	93	6	C	860
RND-FL164AD	FLAT DOUBLE ANTHRACITE	1600	292	292	64	93	8	C	1146
RND-FL165AD	FLAT DOUBLE ANTHRACITE	1600	366	366	64	93	10	C	1432
RND-FL166AD	FLAT DOUBLE ANTHRACITE	1600	440	440	64	93	12	C	1719
RND-FL167AD	FLAT DOUBLE ANTHRACITE	1600	514	514	64	93	14	C	1889
RND-FL183AD	FLAT DOUBLE ANTHRACITE	1800	218	218	64	93	6	C	967
RND-FL184AD	FLAT DOUBLE ANTHRACITE	1800	292	292	64	93	8	C	1289
RND-FL185AD	FLAT DOUBLE ANTHRACITE	1800	366	366	64	93	10	C	1611
RND-FL186AD	FLAT DOUBLE ANTHRACITE	1800	440	440	64	93	12	C	1934
RND-FL187AD	FLAT DOUBLE ANTHRACITE	1800	514	514	64	93	14	C	2257
RND-FL06AD	FLAT DOUBLE ANTHRACITE	600	440	440	64	93	12	C/E/D	596
RND-FL08AD	FLAT DOUBLE ANTHRACITE	600	588	588	64	93	16	C/E/D	796
RND-FL11AD	FLAT DOUBLE ANTHRACITE	600	810	810	64	93	20	C/E/D	1094
RND-FL14AD	FLAT DOUBLE ANTHRACITE	600	1032	1032	64	93	28	C/E/D	1391
RND-FL17AD	FLAT DOUBLE ANTHRACITE	600	1254	1254	64	93	34	C/E/D	1690
FLAT BLACK									
RND-FL123A	FLAT SINGLE BLACK	1200	292	292	27	56	4	C	256
RND-FL143A	FLAT SINGLE BLACK	1400	292	292	27	56	4	C	292
RND-FL163A	FLAT SINGLE BLACK	1600	218	218	27	56	3	C	477
RND-FL164A	FLAT SINGLE BLACK	1600	292	292	27	56	4	C	637
RND-FL165A	FLAT SINGLE BLACK	1600	366	366	27	56	5	C	796
RND-FL166A	FLAT SINGLE BLACK	1600	440	440	27	56	6	C	955
RND-FL167A	FLAT SINGLE BLACK	1600	514	514	27	56	7	C	1115
RND-FL183A	FLAT SINGLE BLACK	1800	218	218	27	56	3	C	537

RND-FL184A	FLAT SINGLE BLACK	1800	292	292	27	56	4	C	716
RND-FL185A	FLAT SINGLE BLACK	1800	366	366	27	56	5	C	895
RND-FL186A	FLAT SINGLE BLACK	1800	440	440	27	56	6	C	1074
RND-FL187A	FLAT SINGLE BLACK	1800	514	514	27	56	7	C	1254
RND-FL06A	FLAT SINGLE BLACK	600	440	440	27	56	6	C/E/D	331
RND-FL08A	FLAT SINGLE BLACK	600	588	588	27	56	8	C/E/D	442
RND-FL11A	FLAT SINGLE BLACK	600	810	810	27	56	10	C/E/D	608
RND-FL14A	FLAT SINGLE BLACK	600	1032	1032	27	56	14	C/E/D	773
RND-FL17A	FLAT SINGLE BLACK	600	1254	1254	27	56	17	C/E/D	939
RND-FL123AD	FLAT DOUBLE BLACK	1200	292	292	64	93	8	C	512
RND-FL143AD	FLAT DOUBLE BLACK	1400	292	514	64	93	14	C	600
RND-FL163AD	FLAT DOUBLE BLACK	1600	218	218	64	93	6	C	860
RND-FL164AD	FLAT DOUBLE BLACK	1600	292	292	64	93	8	C	1146
RND-FL165AD	FLAT DOUBLE BLACK	1600	366	366	64	93	10	C	1432
RND-FL166AD	FLAT DOUBLE BLACK	1600	440	440	64	93	12	C	1719
RND-FL167AD	FLAT DOUBLE BLACK	1600	514	514	64	93	14	C	1889
RND-FL183AD	FLAT DOUBLE BLACK	1800	218	218	64	93	6	C	967
RND-FL184AD	FLAT DOUBLE BLACK	1800	292	292	64	93	8	C	1289
RND-FL185AD	FLAT DOUBLE BLACK	1800	366	366	64	93	10	C	1611
RND-FL186AD	FLAT DOUBLE BLACK	1800	440	440	64	93	12	C	1934
RND-FL187AD	FLAT DOUBLE BLACK	1800	514	514	64	93	14	C	2257
RND-FL06AD	FLAT DOUBLE BLACK	600	440	440	64	93	12	C/E/D	596
RND-FL08AD	FLAT DOUBLE BLACK	600	588	588	64	93	16	C/E/D	796
RND-FL11AD	FLAT DOUBLE BLACK	600	810	810	64	93	20	C/E/D	1094
RND-FL14AD	FLAT DOUBLE BLACK	600	1032	1032	64	93	28	C/E/D	1391
RND-FL17AD	FLAT DOUBLE BLACK	600	1254	1254	64	93	34	C/E/D	1690